

anony

186 St Helens Ave
 Toronto, Ontario
 M6H 4A1
 +1 905 301 0306
 sales@anony.ca



PHS-03-BBR

Phase. Chandelier

Inspired by the exquisite balancing act found in hanging kinetic mobiles, Phase light is an interpretation of a circle in three forms: a sphere, a disc, and a melted semi-circle. This vertical fixture is built from the bottom up to stay balanced. Every component of each tier is hand finished and weighted precisely before being attached to the arm. Each tier acts as a predictably weighted foundation for the tier above, where the process repeats. Phase conceals its wires inside the arms while maintaining perfect parallel line structures. Rather than relying on adjustable parts—which shift over time and alter the geometry of the fixture—Phase achieves a fixed equilibrium with weight and steel piping.

PHS				
Model	Chandelier	Finish	Height	Temperature

Model PHS	Phase		Dimension Pendant Ø1.5m - 1.8m Ø5ft - 6ft	Material Aluminum Steel Glass Plexiglass	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Type 03 03S	Chandelier Chandelier Slated Ceiling		Dimension Canopy Ø200mm X H32mm Ø8in X H1.25in	Temperature 2200K 2700K 3000K 3500K	Driver Integral in Canopy	LED Life 15,000h
Finish BBR BAB	Brushed Brass Brushed Antique Brass		Weight 10.3kg 22.6lb		Lamping 90CRI 6W 690lm	Warranty 2y

Due to the length of tiers, a natural arc occurs on the longest tier

Certification
 CE Compliant
 Damp Rated


anony

186 St Helens Ave
 Toronto, Ontario
 M6H 4A1
 +1 905 301 0306
 sales@anony.ca



PHS-03-BAB

Phase. Chandelier

Inspired by the exquisite balancing act found in hanging kinetic mobiles, Phase light is an interpretation of a circle in three forms: a sphere, a disc, and a melted semi-circle. This vertical fixture is built from the bottom up to stay balanced. Every component of each tier is hand finished and weighted precisely before being attached to the arm. Each tier acts as a predictably weighted foundation for the tier above, where the process repeats. Phase conceals its wires inside the arms while maintaining perfect parallel line structures. Rather than relying on adjustable parts—which shift over time and alter the geometry of the fixture—Phase achieves a fixed equilibrium with weight and steel piping.

PHS				
Model	Chandelier	Finish	Height	Temperature

Model	PHS	Phase	Dimension Pendant Ø1.5m - 1.8m Ø5ft - 6ft	Material Aluminum Steel Glass Plexiglass	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Type	03	Chandelier	Dimension Canopy Ø200mm X H32mm Ø8in X H1.25in	Temperature 2200K 2700K 3000K 3500K	Driver Integral in Canopy	LED Life 15,000h
Finish	BBR	Brushed Brass	Weight 10.3kg 22.6lb		Lamping 90CRI 6W 690lm	Warranty 2y
	BAB	Brushed Antique Brass				Certification CE Compliant Damp Rated

Due to the length of tiers, a natural arc occurs on the longest tier



anony

186 St Helens Ave
 Toronto, Ontario
 M6H 4A1
 +1 905 301 0306
 sales@anony.ca



PHS-01-BBR

Phase. Chandelier

Inspired by the exquisite balancing act found in hanging kinetic mobiles, Phase light is an interpretation of a circle in three forms: a sphere, a disc, and a melted semi-circle. This vertical fixture is built from the bottom up to stay balanced. Every component of each tier is hand finished and weighted precisely before being attached to the arm. Each tier acts as a predictably weighted foundation for the tier above, where the process repeats. Phase conceals its wires inside the arms while maintaining perfect parallel line structures. Rather than relying on adjustable parts—which shift over time and alter the geometry of the fixture—Phase achieves a fixed equilibrium with weight and steel piping.

PHS				
Model	Chandelier	Finish	Height	Temperature

Model	PHS	Phase	Dimension Pendant W972mm W38.25in	Material Aluminum Steel Glass Plexiglass	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Type	01	Chandelier	Dimension Canopy Ø130 X H30mm Ø5in X H1.1875in	Temperature 2200K 2700K 3000K 3500K	Driver Integral in Canopy	LED Life 15,000h
Finish	BBR	Brushed Brass	Weight 4.5kg		Lamping 90CRI 2W 230lm	Warranty 2y
	BAB	Brushed Antique Brass	10.0lb			Certification CE Compliant Damp Rated



anony

186 St Helens Ave
 Toronto, Ontario
 M6H 4A1
 +1 905 301 0306
 sales@anony.ca



PHS-BAB-01

Phase. Chandelier

Inspired by the exquisite balancing act found in hanging kinetic mobiles, Phase light is an interpretation of a circle in three forms: a sphere, a disc, and a melted semi-circle. This vertical fixture is built from the bottom up to stay balanced. Every component of each tier is hand finished and weighted precisely before being attached to the arm. Each tier acts as a predictably weighted foundation for the tier above, where the process repeats. Phase conceals its wires inside the arms while maintaining perfect parallel line structures. Rather than relying on adjustable parts—which shift over time and alter the geometry of the fixture—Phase achieves a fixed equilibrium with weight and steel piping.

PHS				
Model	Chandelier	Finish	Height	Temperature

Model	PHS	Phase	Dimension Pendant W972mm W38.25in	Material Aluminum Steel Glass Plexiglass	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Type	01	Chandelier	Dimension Canopy Ø130 X H30mm Ø5in X H1.1875in	Temperature 2200K 2700K 3000K 3500K	Driver Integral in Canopy	LED Life 15,000h
Finish	BBR	Brushed Brass	Weight 4.5kg		Lamping 90CRI 2W 230lm	Warranty 2y
	BAB	Brushed Antique Brass	10.0lb			Certification CE Compliant Damp Rated

