



**humble**  
atmosphere, anywhere

## The heart of **humble**

### REFINED DESIGN

Premium materials crafted into timeless lights. Our lights don't just illuminate — they elevate your space.

### BUILT TO LAST

Professional-grade reliability in every detail. It's not just about looking good — it's about staying good.

### EFFORTLESS EXPERIENCE

All our lamps are wirelessly rechargeable. Plus, our handy remote and soft carrying bags make everyday use a breeze.

## Our collection

---



*Firefly*



*Two*




*Air*



*Bug*



*One*



*Bee*

# *Air*

- Our equivalent of a tall candle stick
- Medium table presence
- Airy silhouette



Materials	Aluminum and polycarbonate
Weight	0,25 kg (0.55 lbs)
Dimensions	Ø10 x H 26 cm ( Ø 3.9 x H 10.2 inch)
Waterproof	IP65
Color Temperature	2500 K
Dimming	4 levels (Low > Medium > High > Boost)
Battery life	100 - 140 hours (low) 60 - 80 hours (medium) 20 - 28 hours (high) 10 - 12 hours (boost)



# Air

## Technical specifications

---



### Materials

Base - aluminum  
Shade - polycarbonate  
Seals - silicone

### Dimensions

010x H 26 cm (03.9x H 10.2 inch)

### Weight

0.25 kg (0.55 lbs)

### Waterproof

IP65

### Country of Origin

China

### Light Source

G4 LED

### Power

<1 W, 3.7V

### Color Temperature

2500K

### Dimming

4 levels (Low>Medium>High>Boost) 50lm

### Light Output

Switch at the base

### Control

3000 mAh

### Battery Capacity

100 - 140 hours (low)

### Battery life

60 - 80 hours (medium)

20 - 28 hours (high)

10-12 hours (boost)

Wireless (Qi standard) or wired (USB-C) Wired

up to 4 hours;

Wireless up to 6 hours with 10W adapter

5V 2A (10W recommended), 5V3A (15W max)

### Charging

### Charging Time

### Adapter (not incl)

### Certifications



### Radio Standards and RF Exposure Model

number:	HUMTL006XX
Radio frequency:	433
Emission frequency bands:	433 MHz
Reception frequency bands:	433 MHz
Channel bandwidth:	< 400kHz
Possibility of choosing channels:	NO
Antenna(whether it is integrated or not):	NO
Apparent Radiated Power(PAR):	10mW
Magnetic field level:	0.02mT
Equivalent Isotropic Radiated Power(EIRP):	10mW
Transmitter power:	10m
Specific Absorption Rate(DAS):	433 MHz

BRONZE FINISH



GOLDEN FINISH



**humble**

atmosphere, anywhere